



XI'AN FUNCTION MATERIAL GROUP CO., LTD
Safety Data Sheet
Lithium Zirconium Oxide

1. Product and Company Identification

Trade Name: Lithium Zirconium Oxide

Chemical Formula: Li_2ZrO_3

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No.69,Gazelle Valley,High-Tech Zone

City: XIAN

State: SHAANXI

Zip Code: 710077

Country: CHINA

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Warning

Hazard Statements: H315: Causes skin irritation.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation

Precautionary Statements: P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P264: Wash skin thoroughly after handling
P271: Use only outdoors or in a well-ventilated area
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+P352: IF ON SKIN: Wash with plenty of soap and water
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312: Call a POISON Center/doctor if you feel unwell
P332+P313: If skin irritation occurs: Get medical attention
P337+P313: If eye irritation persists: Get medical attention
P362: Take off contaminated clothing and was before reuse
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P405: Store locked up
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2

Flammability: 0

Physical: 0

3. Composition

Chemical Family: Ceramic
Additional Names: Lithium Zirconate

Lithium Zirconium Oxide (Li_2ZrO_3):
Percentage: 100 wt%
CAS #: 12031-83-3
EC #: 234-760-1

4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist
Special Treatment: None
Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult. Seek immediate medical attention
Ingestion: Seek medical attention
Skin: Wash affected area immediately with mild soap and water. Remove any contaminated clothing. Seek medical attention
Eyes: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical attention

5. Firefighting Measures

Flammability: Non-flammable
Extinguishing Media: Use suitable extinguishing agent for surrounding material and type of fire.
Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled: ▶ Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions: Isolate runoff to prevent environmental pollution. Do not allow product to reach sewage system or any water course

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.
Storage Conditions: Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits:	5 mg/m ³ as Zirconium, long-term value
Threshold Limit Value:	5 mg/m ³ as Zirconium, long-term value
Special Equipment:	None
Respiratory Protection:	Use suitable respirator when high concentrations are present. Use a N95 or PE (EN 143) cartridges as a backup to engineering controls. For higher level protection use type OV/AG/P99 or type ABEK-P2 (EU EN 143) respirator cartridges. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics

Color	Cream
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	4.15 g/cc (at 20 °C)
Molecular weight:	153.10 g/mol

10. Reactivity

Stability:	Stable under recommended storage conditions
Reacts With:	N/A
Incompatible Conditions:	N/A
Hazardous Decomposition Products:	Lithium Oxides Zirconium Oxides

11. Toxicological Information

Potential Health Effects:

Eyes:	May cause irritation
Skin:	May cause irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	N/A

Signs & Symptoms: N/A

Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

12. Ecological Information

Aquatic Toxicity:	N/A
Persistent Bioaccumulation Toxicity:	N/A
Very Persistent, Very Bioaccumulative:	N/A
Notes:	Avoid transfer into the environment

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous:	Not hazardous for transportation.
Hazard Class:	N/A
Packing Group:	N/A
UN Number:	N/A
Proper Shipping Name:	N/A

15. Regulatory Information

Sec 302 Extremely Hazardous:	No
Sec 304 Reportable Quantities:	N/A
Sec 313 Toxic Chemicals:	N/A

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

10/11/2019

UNCMATEL